



SABS
ISO 9001

BAIN MARIE TABLE MODEL

MODEL	DESCRIPTION Bain Marie-Entry Level (Wet Element)	WEIGHT (kg)	DIMENSIONS (L X B X H) mm	POWER KW
BM-4-TM2-0800065Z	Bain Marie Table Model 2 Div	17,7	800x650x260	2
BM-4-TM3-1145065Z	Bain Marie Table Model 3 Div	25,4	1145x650x260	2
BM-4-TM2-1450065Z	Bain Marie Table Model 4 Div	31,8	1450x650x260	4
BM-4-TM2-1750065Z	Bain Marie Table Model 5 Div	38,4	1750x650x260	4

- Tank constructed with Grade 304 Stainless Steel
- Easy drain valve
- Heating element controlled by user friendly thermostat
- Easy to clean



SABS
ISO 9001

BAIN MARIE HOT CLOSET

MODEL	DESCRIPTION Bain Marie-Entry Level (Wet Element)	WEIGHT (kg)	DIMENSIONS (L X B X H) mm	POWER KW
BM-4-HC2-0800065Z	Bain Marie Hot Closet 2 Div	55	800x650x900	3
BM-4-HC3-1205065Z	Bain Marie Hot Closet 3 Div	65,8	1145x650x900	3
BM-4-HC4-1450065Z	Bain Marie Hot Closet 4 Div	99,2	1450x650x900	5
BM-4-HC5-175565Z	Bain Marie Hot Closet 5 Div	112	1755x650x900	5

- Tank constructed with Grade 304 Stainless Steel
- Top Hanging Sliding doors
- Separate electric components for tank and closet
- Shelf for extra storage



SABS
ISO 9001

CHIP FRYER

MODEL	DESCRIPTION Turbo Fryer Electric	WEIGHT (kg)	DIMENSIONS (L X B X H) mm	POWER
FRE-4-S-20L	Electric Turbo Fryer Single 20L	40	500x650x900	16
FRE-4-D-10L	Electric Turbo Fryer Double 10L	51,6	500x650x900	18
FRE-4-D-20L	Electric Turbo Fryer Double 20L	64	1000x650x900	32

- Constructed with Stainless Steel
- Temperature range 0-190 degrees
- Safety 210 degree thermostat with reset button
- Hanger for baskets
- Includes one 20 litre oil bin per tank

FLAT TOP ELECTRIC

MODEL	DESCRIPTION	WEIGHT	DIMENSIONS	POWER
	Flat Top Grill	(kg)	(L X B X H) mm	KW
FTGFSE-4-060730	Electric Flat Top Grill-Free Standing-5Kw	74,2	600x730x900	5
FTGFSE-4-090730	Electric Flat Top Grill-Free Standing	110	900x730x900	10
MODEL	DESCRIPTION	WEIGHT	DIMENSIONS	POWER
	Flat Top Grill - Table Model	(kg)	(L X B X H) mm	KW
FTGTM-4-060650	Electric Flat Top Grill-Table Model	65	600x650x300	5
FTGTM-4-090650	Electric Flat Top Grill-Table Model	90	900x650x300	10

- 16mm flat cooking top for heat retention
- Table Model comes with 12mm cooking top
- Splash back and sides
- Hinged top
- Temperature range 0-180 degrees
- Mobile on castors
- Extras are dividers, ribbed and lid



ELECTRIC RANGE

HOT HOLDING CABINET

MODEL	DESCRIPTION	WEIGHT	DIMENSIONS	POWER
	(Hot Holding Cabinet)	(kg)	(L X B X H) mm	KW
HHC-4-1SD	Hot Holding Cabinet with 1 Swing Door	40	420x690x665	1
FWC-4-8GN2/1	Food Warming Cabinet 8 GN2/1	76,7	625x800x1000	1
FWC-4-16GN2/1	Food Warming Cabinet 16 GN2/1	114,7	625x800x1790	2

- Constructed with Stainless Steel
- Hinged doors left to right
- Designed to fit GN trays
- Temperature range 0-90 degrees
- Mobile on castors



HOT CLOSET

MODEL	DESCRIPTION	WEIGHT	DIMENSIONS	POWER
	Hot Closet Cabinet (Electric)	(kg)	(L X B X H) mm	KW
CA-HC-4-080065	Hot Closet	65	800x650x900	1
CA-HC-4-120065	Hot Closet	85	1200x650x900	1
CA-HC-4-180065	Hot Closet	122	1800x650x900	2

- Constructed with Stainless Steel
- Top hanging sliding doors
- Shelf for extra storage space
- Temperature controlled between 0-90 degrees



HOT PASS

MODEL	DESCRIPTION Hot Pass (Electric)	WEIGHT (kg)	DIMENSIONS (L X B X H) mm	POWER KW
PA-4-F1PM	Hot Pass Figure 1	N/A	Per metre	N/A
PA-4-F2PM	Hot Pass Figure 2	N/A	Per metre	N/A
PA-4-F3PM	Hot Pass Figure 3	N/A	Per metre	N/A
PA-4-F4PM	Hot Pass Figure 4	N/A	Per metre	N/A
PA-4-F5PM	Hot Pass Figure 5	N/A	Per metre	N/A
PA-4-F6PM	Hot Pass Figure 6	N/A	Per metre	N/A

- Constructed with Stainless Steel
- Special Stick elements used for standard range
- Available with Infra-Red energy efficient heating bulbs
- Surface temperatures of up to 70 degrees depending on ambient temperature
- Available in 3 and 4 Tier
- Available with smart pass feature using motion sensors to activate elements

SABS
ISO 9001




Figure 1



Figure 2



Figure 3




Figure 4



Figure 5



Figure 6



SABS
ISO 9001

SALAMANDER

MODEL	DESCRIPTION Salamander Electric	WEIGHT (kg)	DIMENSIONS (L X B X H) mm	POWER KW
Nim-Salamander	Salamander Electric	35	790x400x390	4

- Constructed with Stainless Steel
- Quick heating
- Adjustable

SANDWICH CHUTE

MODEL	DESCRIPTION Salamander Electric	WEIGHT (kg)	DIMENSIONS (L X B X H) mm	POWER KW
Sandchute-1150	Sandwich Chute	55	1150x600x740	4

- Constructed from stainless steel
- Infra-red lights to keep packages warm
- Angled chute
- Fits into hatches

SABS
ISO 9001